INTERNATIONAL JOURNAL OF GERIATRIC PSYCHIATRY

Contents

VOLUME 16 NUMBERS 1–12

NUMBER 1, JANUARY 2002

RESEARCH ARTICLES

Depression in subjects with and without dementia: a comparison using GMS-AGECAT: J. G. E. Janzing, C. Hooijer, M. A. van't Hof and F. G. Zitman 1

Challenging behaviours in nursing home residents with dementia: a randomized controlled trial of multidisciplinary interventions: J. Opie, C. Doyle and D. W. O'Connor 6

Comparing clock tests for dementia screening: naïve judgements vs formal systems – what is optimal?: J. M. Scanlan, M. Brush, C. Quijano and S. Borson 14

Neuropsychiatric symptoms of Alzheimer's disease differ in Chinese and American patients: T. W. Chow, C. K. Liu, J. L. Fuh, V. P. Y. Leung, C. T. Tai, L. Chen, S. J. Wang, H. F. K. Chiu, L. C. W. Lam, Q. L. Chen and J. L. Cummings 22

Effect of neuropsychiatric symptoms of Alzheimer's disease on Chinese and American caregivers: F. C. Pang, T. W. Chow, J. L. Cummings, V. P. Y. Leung, H. F. K. Chiu, L. C. W. Lam, Q. L. Chen, C. T. Tai, L. W. Chen, S. J. Wang and J. L. Fuh 29

Carers, ethics and dementia: a survey and review of the literature: J. C. Hughes, T. Hope, J. Savulescu and S. Ziebland . 35

The second Leicester survey of memory clinics in the British Isles: J. Lindesay, M. Marudkar, E. van Diepen and G. Wilcock .. 41

Distinguishing depression from dementia in later life: a pilot study employing the Emotional Stroop task: R. Dudley, J. O'Brien, N. Barnett, L. McGuckin and P. Britton 48

Factors associated with antidepressant treatment in residential care: changes between 1990 and 1997: A. Arthur, R. Matthews, C. Jagger and J. Lindesay 54

Attributions of physical symptoms in patients of an old age psychiatry service: B. Sheehan, M. Philpot and S. Banerjee ... 61

Gender differences of depressive symptoms in depressed and nondepressed elderly persons: M. Kockler and R. Heun . 65

Subjective sleep problems in later life as predictors of cognitive decline. Report from the Maastricht Ageing Study (MAAS): M. Jelicic, H. Bosma, R. W. H. M. Ponds, M. P. J. Van Boxtel, P. J. Houx and J. Jolles 73

The psychosocial burden on spouses of the elderly with stroke, dementia and Parkinson's disease: B. Thommessen, D. Aarsland, A. Braekhus, A. R. Oksengaard, K. Engedal and K. Laake 78

RESEARCH LETTER

Addressing the needs of carers of older people: the Islington study: G. H. Train, G. Livingston and M. Manela 85

Letters to the Editor 87

Book Reviews 91

Current Awareness 93

NUMBER 2, FEBRUARY 2002

RESEARCH ARTICLES

Predictors of institutionalization in patients with dementia in Korea: J.-M. Kim, I.-S. Shin, S.-J. Jeong, N. Gormley and J.-S. Yoon 101

The DSM-IV 'Minor depression' disorder in the oldest-old: prevalence rate, sleep patterns, memory function and quality of life in elderly people of Italian descent in Southern Brazil: F. M. F. Xavier, M. P. T. Ferraza, I. Argimon, C. M. Trentini, D. Poyares, P. H. Bertollucci, L. W. Bisol and E. H. Moriguchi 107

Factor structure of the Hospital Anxiety and Depression Scale in older patients with major depression: A. J. Flint and S. L. Rifat 117

National survey to assess current practices in the diagnosis and management of young people with dementia: R. Cordery, R. Harvey, C. Frost and M. Rossor 124

Non-neurological factors are implicated in impairments in gait and mobility among patients in a clinical dementia referral population: V. S. Thomas, E. V. Vandenberg and J. F. Potter 128

Mini Mental State Examination in Sinhalese: a sensitive test to screen for dementia in Sri Lanka: H. A. de Silva and S. B. Gunatilake 134

Can psychiatric liaison reduce neuroleptic use and reduce health service utilization for dementia patients residing in care facilities: C. Ballard, I. Powell, I. James, K. Reichelt, P. Myint, D. Potkins, C. Bannister, M. Lana, R. Howard, J. O'Brien, A. Swann, D. Robinson, J. Shrimanker and R. Barber 140

The clinical phenotype of familial and sporadic late onset Alzheimer's disease: C. Holmes and S. Lovestone 146

Mild extrapyramidal signs and functional impairment in ageing: M. Richards, J. Touchon, B. Ledesert and K. Ritchie 150

Gender differences in burden and depression among informal caregivers of demented elders in the community: L. Gallicchio, N. Siddiqi, P. Langenberg and M. Baumgarten 154

Cognitive and motor impairments predict functional declines in patients with vascular dementia: P. A. Boyle, R. A. Cohen, R. Paul, D. Moser and N. Gordon 164

Views of elderly patients on cardiopulmonary resuscitation before and after treatment for depression: R. Eggar, A. Spencer, D. Anderson and L. Hiller 170

The effect of selegiline in the treatment of people with Alzheimer's disease: a meta-analysis of published trials: G. K. Wilcock, J. Birks, A. Whitehead and J. Grimley Evans 175

Positive aspects of caregiving: rounding out the caregiver experience: C. A. Cohen, A. Colantonio and L. Vernich 184

RESEARCH LETTER

Using thiamine to reduce post-ECT confusion: C. R. Linton, M. T. P. Reynolds and N. J. Warner 189

Letters to the Editor 193

Current Awareness 197

NUMBER 3, MARCH 2002

RESEARCH ARTICLES

Isolated hallucinosis in Alzheimer's disease is associated with African-American race: M. M. Bassiony, A. Warren, A. Rosenblatt, A. Baker, M. Steinberg, C. D. Steele and C. G. Lyketsos 205

Reducing the burden of caring for Alzheimer's disease through the amelioration of 'delusions of theft' by drug therapy: K. Shigenobu, M. Ikeda, R. Fukuhara, N. Maki, K. Hokoishi, A. Nebu, K. Komori and H. Tanabe 211

What are patients and their families told about the diagnosis of dementia? Results of a family survey: S. Holroyd, Q. Turnbull and A. M. Wolf 218

Revealing a hidden problem. An evaluation of a community dementia case-finding program from the Indian 10/66 dementia research network: K. S. Shaji, N. R. A. Kishore, K. P. Lal and M. Prince 222

Does the HoNOS 65+ meet the criteria for a clinical outcome indicator for mental health services for older people?: J. Spear, S. Chawla, M. O'Reilly and D. Rock 226

Hyponatraemia in elderly psychiatric patients treated with Selective Serotonin Reuptake Inhibitors and venlafaxine: a retrospective controlled study in an inpatient unit: D. Kirby, S. Harrigan and D. Ames 231

Psychosocial and clinical predictors of unipolar depression outcome in older adults: H. B. Bosworth, J. C. Hays, L. K. George and D. C. Steffens 238

Incidence, prevalence, and outcomes of depression in residents of a long-term care facility with dementia: J. L. Payne, J.-M. E. Sheppard, M. Steinberg, A. Warren, A. Baker, C. Steele, J. Brandt and C. G. Lyketsos 247

Psychometric properties of Clock Drawing Test and MMSE or Short Performance Test (SKT) in dementia screening in a memory clinic population: U. Schramm, G. Berger, R. Müller, T. Kratzsch, J. Peters and L. Frölich 254

A study of suicides of older people in Sydney: J. Snowdon and P. Baume 261

A 24-week, double-blind, placebo-controlled trial of donepezil in patients with Down syndrome and Alzheimer's disease — Pilot Study: V. P. Prasher, A. Huxley, M. S. Haque and the Down syndrome Ageing Study Group 270

Validation of the Spanish version of the geriatric depression scale (GDS) in primary care: M. I. Fernández-San Martín, C. Andrade, J. Molina, P. E. Muñoz, B. Carretero, M. Rodríguez and A. Silva 279

RESEARCH LETTERS

Switching cholinesterase inhibitor therapy in Alzheimer's disease — donepezil to rivastigmine, is it worth it?: R. Bullock and C. Connolly 288

Management of patients with cognitive impairment by residential doctors: P. Gurka, R. Bacher, C. Kohl, G. Kemmler, C. DeCol, E. Weiss, T. Bodner, H. Hinterhuber, A. Lingg and J. Marksteiner 290

Book Reviews 292

Video Review 295

Erratum 296

Current Awareness 297

NUMBER 4, APRIL 2002

RESEARCH ARTICLES

Lavender oil as a treatment for agitated behaviour in severe dementia: a placebo controlled study: C. Holmes, V. Hopkins, C. Hensford, V. MacLaughlin, D. Wilkinson and H. Rosenvinge 305

Does the presence of anxiety affect the validity of a screening test for depression in the elderly?: G. Sinoff, L. Ore, D. Zlotogorsky and A. Tamir 309

Care management, dementia care and specialist mental health services: an evaluation: D. Challis, R. von Abendorff, P. Brown, J. Chesterman and J. Hughes 315

Olanzapine associated weight gain, Hyperglycemia and Neuroleptic Malignant Syndrome: case report: R. Malyuk, B. Gibson, R. M. Procyshyn and N. Kang 326

Gait performance in dementia: the effects of a 6-week resistance training program in an adult day-care setting: P. A. Hageman and V. S. Thomas 329

Physical disorders and causes of death in relatives of Alzheimer's disease patients: M. Kockler, A. Nitardy, A. Papassotiropoulos, U. Ptok, W. Maier and R. Heun 335

A pilot, randomized, open-label trial assessing safety and pharmakokinetic parameters of co-administration of rivastigmine with risperidone in dementia patients with behavioral disturbances: M. Weiser, H. H. Rotmensch, A. D. Korczyn, R. Hartman, A. Cicin-Sain, R. Anand and the Rivastigmine-Risperidone Study Group 343

Ten-point clock test: a correlation analysis with other neuropsychological tests in dementia: R. Moretti, P. Torre, R. M. Antonello, G. Cazzato and A. Bava 347

An examination of the attitudes and practice of general practitioners in the diagnosis and treatment of depression in older people: I. Rothera, R. Jones and C. Gordon 354

Ageing and the nigrostriatal dopaminergic system: S. Reeves, C. Bench and R. Howard 359

Decreased cutaneous vasodilatation to isometric handgrip exercise in Alzheimer's disease: J. Kálmán, R. Szakács, T. Török, Z. Rózsa, P. Barzó, L. Rudas, J. G. Papp and Z. Janka ... 371

Geriatric Depression Scale Scores in a representative sample of 14 545 people aged 75 and over in the United Kingdom: results from the MRC Trial of Assessment and Management of Older People in the Community: D. P. J. Osborn, A. E. Fletcher, L. Smeeth, S. Stirling, M. Nunes, E. Breeze, E. Siu-Woon, C. J. Bulpitt, D. Jones and A. Tulloch 375

Negative symptoms, depression and Alzheimer's disease: M. Vercelletto, F. Martinez, S. Lanier, C. Magne, P. Jaulin and M. Bourin 383

RESEARCH LETTER

How to define treatment success using cholinesterase inhibitors: L. J. Thal 388

LETTER TO THE EDITOR

Effects of the selgiline on fronto-temporal dementia: a neuropsychological evaluation: R. Moretti, P. Torre, R. Antonello, G. Cazzato and A. Bava 391

Book Reviews 393

Current Awareness 395

NUMBER 5, MAY 2002

RESEARCH ARTICLES

The cost of behavioral and psychological symptoms of dementia (BPSD) in community dwelling Alzheimer's disease patients: M. Schnaider Beeri, P. Werner, M. Davidson and S. Noy 403

Prevalence and correlates of late-life depression compared between urban and rural populations in Korea: J.-M. Kim, I.-S. Shin, J.-S. Yoon and R. Stewart 409

Trends in suicide from drug overdose in the elderly in England and Wales, 1993–1999: R. Shah, Z. Uren, A. Baker and A. Majeed 416

Predictive factors of acute hospitalization in 134 patients with Alzheimer's disease: a one year prospective study: S. Andrieu, E. Reynish, F. Nourhashemi, A. Shakespeare, S. Moulias, P. J. Ousset, P. Sagnier, A. Richard, J.-L. Albarede and B. Vellas 422

Mental health in older adult recipients of primary care services: is depression the key issue? Identification, treatment and the general practitioner: S. C. Watts, G. E. Bhutani, I. H. Stout, G. M. Ducker, P. J. Cleator, J. McGarry and M. Day 427

Measuring change in psychiatric symptoms using the Neuropsychiatric Inventory: Nursing Home version: G. L. Iverson, G. A. Hopp, K. DeWolfe and K. Solomons 438

The prevalence and phenomenology of auditory hallucinations among elderly subjects attending an audiology clinic: M. G. Cole, L. Dowson, N. Dendukuri and E. Belzile 444

Previous stroke but not vascular risk factors are associated with depression in a cognitively impaired older Korean population: J.-M. Kim, R. Stewart, I.-S. Shin and J.-S. Yoon 453

Development and inter-rater reliability of a standardized verbal instruction manual for the Chinese Geriatric Depression Scale – Short Form: M. T. P. Wong, T. P. Ho, M. Y. Ho, C. S. Yu, Y. H. Wong and S. Y. Lee 459

The prevalence, diagnosis and treatment of depression in dementia patients in chronic care facilities in the last six months of life: M. M. Evers, S. C. Samuels, M. Lantz, K. Khan, A. M. Brickman and D. B. Marin 464

Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity: S. Reeves, R. Stewart and R. Howard 473

Clock drawing test in mild and moderate dementia of the Alzheimer's type: a comparative and correlation study: J. Heinik, I. Solomesh, V. Shein and D. Becker 480

RESEARCH LETTER

Post stroke depression, first year post stroke, in middle band patients: D. Gottlieb, I. Salagnik, M. Kipnis and S. Brill 486

LETTERS TO THE EDITOR

Cancer mortality among elderly patients with brief psychotic disorder: L. Bashmakov, E. Leinonen, M. Santala, H. Santala, T. Hyötylä and R. K. R. Salokangas 488

Fewer hours of care yet undiminished caregiver burden with New Long-Term Care insurance in Japan: Y. Arai, K. Masui, M. Sugiura and M. Washio 489

SNRI and hyponatremia: P. Sand, A. K. Atzinger and A. Buwe 491

Interventions in Alzheimer's disease: R. S. Bucks, L. Byrne, C. Emmerson, D. Spaull, J. Haworth, G. Wilcock and J. Hyde 493

Current Awareness 494

NUMBER 6, JUNE 2002

RESEARCH ARTICLES

The Mini-Mental State exam may help in the differentiation of dementia with Lewy bodies and Alzheimer's disease: T. A. Ala, L. F. Hughes, G. A. Kyrouac, M. W. Ghobrial and R. J. Elble 503

Data management and quality assurance for an International project: the Indo-US Cross-National Dementia Epidemiology Study: R. Pandav, A. Mehta, S. H. Belle, D. E. Martin, V. Chandra, H. H. Dodge and M. Ganguli 510

Hippocampal volume and antidepressant response in geriatric depression: M.-H. Hsieh, D. R. McQuoid, R. M. Levy, M. E. Payne, J. R. MacFall and D. C. Steffens 519

Longitudinal increase in the volume of white matter hyperintensities in late-onset depression: R. D. Nebes, C. F. Reynolds III, F. Boada, C. C. Meltzer, M. B. Fukui, J. Saxton, E. M. Halligan and S. T. DeKosky 526

Gender, aggression and serotonergic function are associated with response to sertraline for behavioral disturbances in Alzheimer's disease: K. L. Lanctôt, N. Herrmann, R. van Reekum, G. Eryavec and C. A. Naranjo 531

Gender related differences in clinical characteristics and hospital based resource utilization among older adults with schizophrenia: M. Sajatovic, D. Sultana, C. Raymond Bingham, P. Buckley and K. Donenwirth 542

The relationship between delusions and depression in Alzheimer's disease: M. M. Bassiony, A. Warren, A. Rosenblatt, A. Baker, M. Steinberg, C. D. Steele, J.-E. Sheppard and C. G. Lyketsos 549

The prevalence of major depression or dysthymia among aged Medicare Fee-for-Service beneficiaries: N. T. McCall, P. Parks, K. Smith, G. Pope and M. Griggs 557

Risk of mortality for dementia in a developing country: the Yoruba in Nigeria: A. J. Perkins, S. L. Hui, A. Ogunniyi, O. Gureje, O. Baiyewu, F. W. Unverzagt, S. Gao, K. S. Hall, B. S. Musick and H. C. Hendrie 566

The clinical profile of older patients' response to antidepressants — an open trial of sertraline: P. G. Mottram, K. C. M. Wilson, L. Ashworth and M. Abou-Saleh 574

Sodium valproate in the treatment of aggressive behaviour in patients with dementia — a randomized placebo controlled clinical trial: R. C. Sival, P. M. J. Haffmans, P. A. F. Jansen, S. A. Duursma and P. Eikelenboom 579

RESEARCH LETTER

Feasibility of treating mild cognitive impairment with cholinesterase inhibitors: J. S. Meyer, Y. Li, G. Xu, J. Thornby, M. Chowdhury and M. Quach 586

LETTER TO THE EDITOR

Voting practices of the residents of nursing and residential homes: W. Nabi 589

Book Reviews 591

Erratum 592

Current Awareness 593

NUMBER 7, JULY 2002

RESEARCH ARTICLES

Primary hyperparathyroidism in an elderly woman: surgical reversibility of profound mental state problems due to mild hypercalcaemia: C. A. McDonald, D. G. Bruce and D. J. Smith . 601

Sleep disturbances among nursing home residents: A. Fetveit and B. Bjorvatn 604

Estrogen replacement therapy is associated with less progression of subclinical structural brain disease in normal elderly women: a pilot study: I. A. Cook, M. L. Morgan, J. J. Dunkin, S. David, E. Witte, R. Lufkin, M. Abrams, S. Rosenberg and A. F. Leuchter 610

Prophylactic therapy with lithium in elderly patients with Unipolar Major Depression: D. Wilkinson, C. Holmes, J. Woolford, S. Stammers and J. North 619

Access to a community aged psychiatry service by elderly from non-English-speaking backgrounds: A. Hassett and K. George 623

Serum cholesterol and depressive symptoms in elderly Finnish men: S. Äijänseppa, P. Kivinen, E.-L. Helkala, S.-L. Kivelä, J. Tuomilehto and A. Nissinen 629

Apolipoprotein E ε4 Allele is not associated with the cognitive impairment in community-dwelling normal elderly individuals: K. W. Kim, J. C. Youn, J. H. Jhoo, D. Y. Lee, K. U. Lee, J. H. Lee and J. I. Woo 635

Do visuospatial and constructional disturbances differentiate frontal variant of frontotemporal dementia and Alzheimer's disease? An experimental study of a clinical belief: D. Grossi, N. A. Fragassi, L. Chiacchio, L. Valoroso, R. Tuccillo, C. Perrotta, P. Rapone, G. Conchiglia and L. Trojano .. 641

Very early on-set familial Alzheimer's disease: a novel presenilin 1 mutation: J. S. Goldman, B. Reed, R. Gearhart, J. H. Kramer and B. L. Miller 649

The meaning of acute confusional state from the perspective of elderly patients: E. M. Andersson, I. R. Hallberg, A. Norberg and A.-K. Edberg 652

The relation of White Matter Hyperintensities to implicit learning in healthy older adults: H. J. Aizenstein, R. D. Nebes, C. C. Meltzer, M. B. Fukui, R. L. Williams, J. Saxton, P. R. Houck, C. S. Carter, C. F. Reynolds III and S. T. DeKosky 664

Types of nursing home residents with self-destructive behaviours: analysis of the Harmful Behaviours Scale: B. Draper, H. Brodaty and L.-F. Low 670

RESEARCH LETTERS

Policies, principles and pragmatism: old age psychiatrists' attitudes and practice regarding influenza immunisation for long stay patients: G. Holloway 676

Influenza vaccination of people with dementia in long-stay wards in the United Kingdom: What is going on?: P. Reynolds, C. Linton and N. Warner 681

LETTERS TO THE EDITOR

Unrecognised and untreated depression in geriatric patients with hip fractures: T. Müller-Thomsen, O. Mittermeier and S. Ganzer 683

The agreement of the Mattis Dementia Rating Scale with the Mini-Mental State Examination: W. Freidl, W.-J. Stronegger, A. Berghold, B. Reinhart, K. Petrovic and R. Schmidt 685

The relationship between biological and environmental determinants of delusions in mild Alzheimer's disease patients: R. Riello, C. Geroldi, G. Parrinello and G. B. Frisoni..... 687

Book Reviews 689

Current Awareness 691

NUMBER 8, AUGUST 2002

RESEARCH ARTICLES

Can clock drawing test help to differentiate between dementia of the Alzheimer's type and vascular dementia? A preliminary study: J. Heinik, I. Solomesh, B. Raikher and R. Lin 699

Selective non-response to clinical assessment in the longitudinal study of aging: implications for estimating population levels of cognitive function and dementia: K. J. Anstey and M. A. Luszcz 704

Burnout and stress amongst old age psychiatrists: S. M. Benbow and D. J. Jolley 710

Factor structure of the Cornell Scale for Depression in Dementia among Japanese poststroke patients: A. S. Schreiner and T. Morimoto 715

Cross-cultural comparison of the Mini-Mental State Examination in United Kingdom and United States participants with Alzheimer's disease: L. E. Gibbons, G. van Belle, M. Yang, C. Gill, C. Brayne, F. A. Huppert, E. Paykel and E. Larson 723

The Geriatric Mental State Examination in the 21st century: J. R. M. Copeland, M. Prince, K. C. M. Wilson, M. E. Dewey, J. Payne and B. Gurland 729

Personality traits and socio-epidemiological status of hospitalised elderly benzodiazepine users: M. Petrovic, A. Vandierendonck, A. Mariman, G. van Maele, M. Afschrift and D. Pevernagie 733

A confirmatory factor analysis of the 12-item General Health Questionnaire among older people: Y. B. Cheung 739

The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA Study norms: R. Stewart, J. Johnson, M. Richards, C. Brayne, A. Mann and Medical Research Council Cognitive Function and Ageing Study 745

"Just keep taking the tablets": adherence to antidepressant treatment in older people in primary care: R. Maidment, G. Livingston and C. Katona 752

Is mental health economics important in geriatric psychiatry in developing countries?: A. Shah, S. Murthy and G.-K. Suh ... 758

Caregiver burden in mobile and non-mobile demented patients: a comparative study: Y. Miyamoto, H. Ito, T. Otsuka and H. Kurita 765

Relationship between depressive symptomatology and the subcortical brain syndrome in dementia: K. Lind, Å. Edman, I. Karlsson, M. Sjögren and A. Wallin 774

A study of premorbid personality and behavioural and psychological symptoms of dementia in nursing home residents: L.-F. Low, H. Brodaty and B. Draper 779

RESEARCH LETTER

Sunlight levels and behavioural disturbance in dementia: B. Sheehan and J. Keene 784

LETTER TO THE EDITOR

The psychogeriatric health care system in Germany: H. Wormstall and A. Günthner 786

Book Reviews 788

Current Awareness 789

NUMBER 9, SEPTEMBER 2002

RESEARCH ARTICLES

Development of the Korean version of Alzheimer's Disease Assessment Scale (ADAS-K): J. C. Youn, D. Y. Lee, K. W. Kim, J. H. Lee, J. H. Jhoo, K. U. Lee, J. Ha and J. I. Woo 797

Out of sight, out of mind? Support and information given to distant and near relatives of those with dementia: A. Thompsell and S. Lovestone 804

Combined hearing and visual impairment and depression in a population aged 75 years and older: T. Lupsakko, M. Mäntyjärvi, H. Kautiainen and R. Sulkava 808

Are cognitively intact seniors with subjective memory loss more likely to develop dementia?: P. St. John and P. Montgomery 814

Alcoholism in older Korean men: prevalence, aetiology and comorbidity with cognitive impairment and dementia in urban and rural communities: J.-M. Kim, I.-S. Shin, R. Stewart and J.-S. Yoon 821

Standard measures of executive function in predicting instrumental activities of daily living in older adults: S. Bell-McGinty, K. Podell, M. Franzen, A. D. Baird and M. J. Williams 828

Course of minimal dementia and predictors of outcome: P. J. Visser, F. R. J. Verhey, J. Jolles and C. Jonker 835

One-year prevalence of death thoughts, suicide ideation and behaviours in an elderly population: P. Scocco and D. De Leo 842

Prevalence of dementia with Lewy bodies in an inpatient psychogeriatric population in Hong Kong Chinese: S. M. Chan, H. K. Chiu, L. W. Lam and V. Y. Leung 847

Development and evaluation of a health-related quality of life questionnaire for the elderly with dementia in Japan: S. Terada, H. Ishizu, Y. Fujisawa, D. Fujita, O. Yokota, H. Nakashima, T. Haraguchi, T. Ishihara, S. Yamamoto, S. Sasaki, Y. Nakashima and S. Kuroda 851

Homocysteine in neuropsychiatric disorders of the elderly: S. Reutens and P. Sachdev 859

Treatment of bipolar disorder in older adults: M. Sajatovic 865

Psychotropics among the home-dwelling elderly – increasing trends: T. Linjakumpu, S. Hartikainen, T. Klaukka, H. Koponen, S.-L. Kivelä and R. Isoaho 874

RESEARCH LETTER

Appeal against detention under the Mental Health Act 1983: relationship to age and incapacity: M. A. Rimmer, S. O'Connor and D. Anderson 884

Book Reviews 886

Current Awareness 887

NUMBER 10, OCTOBER 2002

REVIEW ARTICLE

Thinking preventively about dementia: a review: B. Cooper ... 895

RESEARCH ARTICLES

Older criminals: a descriptive study of psychiatrically examined offenders in Sweden: S. Fazel and M. Grann 907

Frontotemporal dementia: patient characteristics, cognition, and behaviour: J. Diehl and A. Kurz 914

Optimal use of markers for cobalamin and folate status in a psychogeriatric population: K. Nilsson, L. Gustafson and B. Hultberg 919

Effects of emotion-oriented care on elderly people with cognitive impairment and behavioural problems: V. Schrijnemaekers, E. van Rossum, M. Candel, C. Frederiks, M. Derix, H. Sielhorst and P. van den Brandt 926

Apolipoprotein E ε4 and testosterone interact in the risk of Alzheimer's disease in men: E. Hogervorst, D. J. Lehmann, D. R. Warden, J. McBroom and A. D. Smith 938

Domiciliary clinics I: effects on non-attendance: D. N. Anderson and C. Aquilina 941

Domiciliary clinics II: a cost minimisation analysis: C. Aquilina and D. Anderson 945

Cognitive function and caregiver burden: predictive factors for eating behaviour disorders in Alzheimer's disease: S. Rivière, S. Gillette-Guyonnet, S. Andrieu, F. Nourhashemi, S. Lauque, C. Cantet, A. Salva, G. Frisoni and B. Vellas 950

A survey of the views of geriatric psychiatrists in the United Kingdom on the use of electroconvulsive therapy to treat physically ill people: S. M. Benhow and A. Shah .. 956

Depression and anxiety in memory clinic attenders and their carers: implications for evaluating the effectiveness of cognitive rehabilitation interventions: L. Clare, B. A. Wilson, G. Carter, K. Breen, G. E. Berrios and J. R. Hodges 962

A longitudinal evaluation of behavioural and psychological symptoms of probable Alzheimer's disease: A. Eustace, R. Coen, C. Walsh, C. J. Cunningham, J. B. Walsh, D. Coakley and B. A. Lawlor 968

RESEARCH LETTERS

Non diagnosed depression among the institutionalized population in a rural area: J. Perez-Jara, E. Lucia, F. Mayo, J. J. Leon, J. Alvarez, F. Frei and A. Enguix 974

The impact of journal advertisements on prescribers of cholinesterase inhibitors: J. Sauer and R. Howard 976

LETTERS TO THE EDITOR

Calcium and cognition: E. J. Byrne 979

Interaction between ECT and venlafaxine: A. Jha and R. Tomar 979

Staff attitudes to sexuality in old age psychiatry: P. Lambourne, K. Ashaye and A. Lambourne 980

Book Reviews 983

Current Awareness 985

NUMBER 11, NOVEMBER 2002

EDITORIAL

Process consultancy can help to improve the quality of mental health services for older people: B. Grey and S. Banerjee 993

RESEARCH ARTICLES

Is late onset depression a prodrome to dementia?: I. Schweitzer, V. Tuckwell, J. O'Brien and D. Ames 997

Improving clinical descriptions to understand the effects of dementia treatment: consensus recommendations: K. Rockwood and C. Joffres 1006

The effect of age on the pharmacological management of ambulatory patients treated with depot neuroleptic medications for schizophrenia and related psychotic disorders: D. C. Mamo, R. A. Sweet, K. N. Roy Chengappa, R. R. Reddy and D. V. Jeste 1012

Policy, organisation and practice of specialist old age psychiatry in England: D. Challis, S. Reilly, J. Hughes, A. Burns, H. Gilchrist and K. Wilson 1018

Screening for mild cognitive impairment (MCI) utilizing combined mini-mental-cognitive capacity examinations for identifying dementia prodromes: G. Xu, J. S. Meyer, J. Thornby, M. Chowdhury and M. Quach 1027

Complaints of informal caregivers providing home care for dementia patients: The Pixel study: P. Thomas, S. Chantoin-Merlet, C. Hazif-Thomas, J. Belmin, B. Montagne, J.-P. Clément, M. Lebruchec and R. Billon 1034

The clock drawing test and questionable dementia: reliability and validity: E. Seigerschmidt, E. Mösch, M. Siemen, H. Förstl and H. Bickel 1048

Which factors influence cognitive decline in older adults suffering from dementing disorders?: M. Schäufele, H. Bickel and S. Weyerer 1055

Dementia Care Mapping as a research tool for measuring quality of life in care settings: psychometric properties: J. Fossey, L. Lee and C. Ballard 1064

Paranoid delusions and hallucinations and bright light therapy in Alzheimer's disease: S. D. Schindler, A. Graf, P. Fischer, A. Tölk and S. Kasper 1071

RESEARCH LETTER

Physical complaints do not decrease linearly with increasing cognitive impairment: I. Merlino, F. Sabattoli, R. Riello, C. Geroldi, O. Zanetti and G. B. Frisoni 1073

LETTERS TO THE EDITOR

Re: Chan *et al.* A double-blind randomised comparison of risperidone and haloperidol in the treatment of behavioural and psychological symptoms in Chinese dementia patients. *Int J Geriatr Psychiatry* 16: 1156–1162: D. Onalaja and A. K. Jainer 1076

Response to Onalaja and Jainer: W. C. Chan and L. C. W. Lam 1077

Re: Keene *et al.* Death and dementia. *Int J Geriatr Psychiatry* 16: 969–974: S. M. Benbow, E. W. Benbow and D. Jolley 1078

Evaluating a hearing voices group for older people: preliminary findings: K. Lee, C. Hannan, J. -A. van den Bosch, J. Williams and V. Mouratoglou 1079

Book Reviews 1081

Current Awareness 1083

NUMBER 12, DECEMBER 2002

RESEARCH ARTICLES

Quality of accommodation and risk of depression in later life: An analysis of prospective data from the Gospel Oak Project: R. Stewart, M. Prince, R. Harwood, R. Whitley and A. Mann 1091

The Apathy Inventory: assessment of apathy and awareness in Alzheimer's disease, Parkinson's disease and mild cognitive impairment: P. H. Robert, S. Clairet, M. Benoit, J. Koutaich, C. Bertogliati, O. Tible, H. Caci, M. Borg, P. Brocker and P. Bedoucha 1099

Effects of a group-based exercise program on the mood state of frail older women after discharge from hospital: L. Timonen, T. Rantanen, T. E. Timonen and R. Sulkava 1106

Confusion Assessment Method in the diagnostics of delirium among aged hospital patients: Would it serve better in screening than as a diagnostic instrument?: J. V. Laurila, K. H. Pitkala, T. E. Strandberg and R. S. Tilvis 1112

Double blind randomised placebo controlled trial of low dose melatonin for sleep disorders in dementia: M. Serfaty, S. Kennell-Webb, J. Warner, R. Blizard and P. Raven 1120

Memory clinics and clinical governance – a UK perspective: A. J. Phipps and J. T. O'Brien 1128

When a little knowledge is a dangerous thing ...: a study of carers' knowledge about dementia, preferred coping style and psychological distress: R. Proctor, C. Martin and J. Hewison 1133

Antidepressant prescribing in nursing homes: is there a place for tricyclics?: S. Borson, J. M. Scanlan, K. Doane and S. Gray .. 1140

Qigong as a psychosocial intervention for depressed elderly with chronic physical illnesses: H. W. H. Tsang, L. Cheung and D. C. C. Lak 1146

RESEARCH LETTER

Skill learning in patients with moderate Alzheimer's disease: a prospective pilot-study of waltz-lessons: A. Rösler, E. Seifritz, K. Kräuchi, D. Spoerl, I. Brokuslaus, S.-M. Proserpi, A. Gendre, E. Savaskan and M. Hofmann 1155

LETTER TO THE EDITOR

Mental Alteration Test (MAT): a rapid and valid screening tool for dementia in primary care: E. Salib and J. McCarthy 1157

Book Reviews 1162

Current Awareness 1163

Author Index 1171

Keyword Index 1174

Volume Contents iii